

BEST AVAILABLE COPY

RECEIVED
CENTRAL FAX CENTER
SEP 01 2006I. AMENDMENTS TO THE CLAIMS:IN THE CLAIMS:

Cancel claims 1,2, and 8-11

1. (Canceled)

2. (Canceled)

3. (Currently Amended) A process for the preparation of the ~~formula (II)~~
~~compounds of claim 4~~ hydrofluoroethers of formula:

wherein:T = CH₃;X, X', equal to or different from each other, are selected between F, CF₃;T' = F, Cl, H, C₁-C₃ perfluoroalkyl, CH₃, CH₂OH, COCl, CHO, CO₂H;R_f is selected from:- C₂-C₁₅ perfluoroalkylene;- -(C₂F₄O)_m(CF₂CF(CF₃)O)_n(CF₂O)_p(CF(CF₃)O)_q-whereinthe sum n+m+p+q ranges from 2 to 200.

- 2 -

Application Number: 108910-00111
Attorney Docket Number: 10/630,697

TECH/449825.1

BEST AVAILABLE COPY

the (p+q)/(m+n+p+q) ratio is lower than or equal to 10:100, the n/m ratio ranges from 0.2 to 6; m, n, p, q are equal to or different from each other and when m, n range from 1 to 100, then p, q range from 0 to 80; the units with n, m, p, q indexes being statistically distributed along the chain;

- $-(CF_2CF_2CF_2O)_r$ wherein r ranges from 2 to 200,

- $-(CF(CF_3)CF_2O)_s$ wherein s ranges from 2 to 200,

comprising the reduction of the formula (III) corresponding precursors:



wherein:

$T'' = COCl,$

$T''' = F, C_1-C_3$ perfluoroalkyl, $COCl, H, Cl,$

X, X', R_f are as defined in formula (II) of claim 1, carried out with gaseous hydrogen in the presence of a catalyst formed by supported platinum, at a temperature in the range $20^\circ C-150^\circ C$, at a pressure between 1 and 50 atm.

4. (Previously Presented) A process according to claim 3, wherein the metal fluorides are selected from the group formed by $CaF_2, BaF_2, MgF_2, AlF_3$.

5. (Previously Presented) A process according to claim 3, wherein the Pt concentration on the support is comprised between 0.1% and 10% with respect to the total weight of the catalyst.

BEST AVAILABLE COPY

6. (Previously Presented) A process according to claim 3, wherein the catalyst is used in an amount in the range 1%-100% by weight with respect to the weight of the formula (III) compound.
7. (Previously Presented) A process according to claim 3, wherein the inert solvent is selected among perfluorotetrahydrofuran, perfluorotetrahydropyran, or their mixtures.
8. (Canceled)
9. (Canceled)
10. (Canceled)
11. (Canceled)
12. (Previously Presented) A process according to claim 3, wherein the reduction of the formula (III) corresponding precursors is carried out with gaseous hydrogen in the presence of a catalyst formed by supported platinum on metal fluorides.

BEST AVAILABLE COPY

13. (Previously Presented) A process according to claim 3, wherein the reduction of the formula (III) corresponding precursors is carried out with gaseous hydrogen in the presence of a catalyst formed by supported platinum in the presence of inert solvents.
14. (Previously Presented) A process according to claim 3, wherein the temperature is in the range 80°C-120°C.
15. (Previously Presented) A process according to claim 3, wherein the pressure is between 1 and 10 atm.
16. (Previously Presented) A process according to claim 4, wherein the metal fluorides are CaF_2 .
17. (Previously Presented) A process according to claim 5, wherein the Pt concentration on the support is comprised between 1% and 2% by weight with respect to the total weight of the catalyst.
18. (Previously Presented) A process according to claim 6, wherein the catalyst is used in an amount in the range 10%-100% by weight with respect to the weight of the formula (III) compound.